



194.00 EUR
incl. 19% VAT, plus [shipping](#)

- AMD T56N
- DirectX 11
- 2x Gigabit LAN !
- SATA 6GB/s !

Support: [Review \[DE\]](#) | [Review \[EN\]](#) | [AMD G-T56N Benchmark](#) | [Specifications \[EN\]](#)

- AMD Brazos eOntario + Hudson E1 Chipset
- Support AMD eOntario (G-Series) Dual core 1.6GHz APU
- Support DirectX 11 3D Graphics Acceleration
- Support 5 * Serial ATA3 (6Gb/s) Devices with RAID 0,1,5,10 & 1 * mSATA
- Support DDR3 800-1066 Single Channel 64-bit, up to 8GB
- Integrated VIA VT1705 HD Audio CODEC with 6-CH
- 1 * 24 bit Dual Channel LVDS header
- Support DVI-D/HDMI Output
- Supports 2 * Realtek RT8111E Gigabit LAN
- Support CPU Smart FAN
- Compliance with ErP standard

CPU	AMD eOntario (G-Series) T56N Dual core 1.6GHz APU
Chipset	AMD Brazos eOntario + Hudson E1 Chipset
Memory	2 * SODIMM Sockets for un-buffered Single Channel 64-bit DDR3 800-1066 SDRAM up to 8 GB
Expansion Slot	1 * 32-bit PCI slot 1 * Mini PCI-E
Storage	5 * Serial ATA3 6Gb/s connectors support HDD with RAID 0, 1, 5,10 functions 1 * mSATA socket
Audio	VIA VT 1705 6-Channel HD Audio
Ethernet LAN	2 * Realtek RTL8111E PCI-E LAN chip for Gigabit LAN

USB	Embedded 10 * USB 2.0/1.1
LVDS	Onboard 24-bit dual channel LVDS connector
	6 * USB 2.0/1.1 ports
	1 * PS2 KB/MS port
	2 * RJ-45 ports
Real Panel I/O	1 * Audio I / O port
	1 * VGA port
	1 * DVI-D port
	1 * HDMI port
	2 * USB 2.0/1.1 headers for 4 USB 2.0 ports
	CPU / Chassis Fan connectors;
Internal I/O	1 * 24-pin ATX Power connector
	1 * 24 bit Dual Channel LVDS header
	1 * COM Port & 1 * GPIO header
	1 * CIR header
BIOS	AMI 16MB SPI Flash ROM
Form Factor	Mini ITX Form Factor(170mmx170mm)
Funtional	ATM, Automation, medical Equipment, Security, Networking, POS,
	General Application, Gaming Machine, Transportation
Certificate	CE, FCC, RoHS

Scope of supply:

- Jetway NF81-T56N-LF Mainboard
- Driver CD
- Manual
- COM Cable
- 2x SATA Cable
- I/O Shield