


159.00 EUR  
incl. 19% VAT, plus [shipping](#)



Support: [Specifications](#)

- Intel Atom D525 + NM10 Chipset
- Support INTEL® Atom Dual-Core D525 CPU
- Support 2 \* 3Gb/s SATA
- Support 2 \* DDR3 800MHz Single CH SO-DIMM up to 4GB
- Supports 1 \* Gigabit LAN
- Support 6 \* COM ports (COM2 for RS232/422/485)
- Integrated Realtek ALC662 HD Audio CODEC with 6-CH
- Support Watchdog Technology
- Support CPU Smart FAN
- Mini-ITX Form Factor(170mm x 170mm)

<b>CPU</b>	• INTEL® Atom Dual-Core Processor D525 (45nm,1.80GHZ,1024MB L2 Cache)
<b>Chipset</b>	• INTEL® Atom D525 + NM10
<b>Memory</b>	• 2 * DDR3 800MHz Single CH SO-DIMM up to 4GB
<b>Expansion Slots</b>	• 1 * PCI slot, 1 * Mini PCI-E socket
<b>Storage</b>	• 2 * Serial ATA2 3Gb/s connectors
<b>Audio</b>	• Realtek ALC662 6-Channel HD Audio CODEC
<b>Ethernet LAN</b>	• 1 * Realtek RTL8111EVL Gigabit LAN
<b>LVDS</b>	• Onboard 24-bit single channel LVDS connector
<b>USB</b>	• Embedded 7 * USB 2.0/1.1

• <b>Rear Panel I/O</b>	<ul style="list-style-type: none"> <li>• 4 * USB 2.0/1.1 ports</li> <li>• 1 * PS/2 Mouse &amp; Keyboard connector</li> <li>• 1 * RJ-45 port</li> <li>• 3 * Audio I/O ports ( Line-in, Mic and Line-out )</li> <li>• 1 * VGA port</li> <li>• 1 * COM port</li> <li>• 1 * Parallel port</li> <li>• 1 * 12V DC-in jack</li> </ul>
• <b>Internal I/O</b>	<ul style="list-style-type: none"> <li>• 3 USB 2.0 ports</li> <li>• 3 * NB / Chassis Fan connectors;</li> <li>• 1 * 24-pin ATX Power connector</li> <li>• 1 * LVDS header/ 1* CD IN /1 * GPIO</li> <li>• 1 * AUDIO header</li> <li>• 5 * COM headers (COM2 for RS232/RS422/RS485)</li> </ul>
• <b>BIOS</b>	• AMI 8MB DIP Flash ROM
• <b>Functional</b>	• ATM, KIOSK, POS Machine, Digital Signage, General Application
• <b>Packing</b>	• Color Box Dimension ■200(W) x 200(D) x 70(H)mm
• <b>Certificate</b>	• CE, FCC, RoHS
• <b>Temperature</b>	<ul style="list-style-type: none"> <li>• Operating within 0~40 centigrade</li> <li>• Storage within -20-85 centigrade</li> </ul>
• <b>Form Factor</b>	• Mini ITX Form Factor(17cmx17cm)